This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

App No.: 10/724.202 Inventor: Wakahiro Kawai et al. Docket No.: N0520.0049/P049


Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY


READABLE DATA CARRIER




Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.
Title: MANUFACTURING METHOD FOR ELECTRONIC
COMPONENT MODULE AND ELECTROMAGNETICALLY
READABLE DATA CARRIER









Docket No.: N0520.0049/P049


App No.: 10/724,202 Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER









App No.: 10/724,202 Docket No.: N0520.0049/P049


Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER








Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER





Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

6/20

FIG. 6A

SEMICONDUCTOR MOUNTING METHOD	ULTRASONIC BONDING	EMBODIMENT
BONDING STRENGTH	200 ~ 250	1400 ~ 1700

FIG. 6B

SEMICONDUCTOR MOUNTING METHOD	THIRD METHOD OF THE RELATED ART	EMBODIMENT
SHORT-CIRCUIT FAILURE OCCURRENCE RATIO	5.0%	0.0%

Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al. Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

7/20

FIG. 7A


SiO ₂ PARTICLES	NONE	PRESENT (EMBODIMENT)
SEMICONDUCTOR CHIP BONDING FAILURE (100 TESTS)	96.0%	0.0%

FIG. 7B

SiO2 PARTICLES	1 ~ 2μm	3 ~ 4μm (EMBODIMENT)
SEMICONDUCTOR CHIP BONDING FAILURE (100 TESTS)	50.0%	0.0%

Docket No.: N0520.0049/P049

App No.: 10/724,202 Docket No.: N0520.0049/Polinventor: Wakahiro Kawai et al.
Title: MANUFACTURING METHOD FOR ELECTRONIC
COMPONENT MODULE AND ELECTROMAGNETICALLY
READABLE DATA CARRIER




App No.: 10/724,202 Inventor: Wakahiro Kawai et al.

Docket No.: N0520.0049/P049

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

⁷9 / 20





Docket No.: N0520.0049/P049


Inventor: Wakahiro Kawai et al.


Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY


READABLE DATA CARRIER












App No.: 10/724,202 Docket No.: N0520.0049/P049 Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER





Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER






Docket No.: N0520.0049/P049

. Inventor: Wakahiro Kawai et al.
Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER



Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

FIG. 14A 603 602(101)

FIG. 14B





FIG. 14C




Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER





Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER





App No.: 10/724,202
Inventor: Wakahiro Kawai et al.

Docket No.: N0520.0049/P049

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

FIG. 17





FIG. 18



Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

FIG. 19A




FIG. 19B





FIG. 19C



Docket No.: N0520.0049/P049

Inventor: Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

19 / 20

FIG. 20A

 $100\sim200\mathrm{Kg}\ /\ \mathrm{cm^2}$





FIG. 20B

250 ℃ 40~80Kg / mm²



App No.: 10/724,202 Docket No.: N0520.0049/P049 Inventor:-Wakahiro Kawai et al.

Title: MANUFACTURING METHOD FOR ELECTRONIC COMPONENT MODULE AND ELECTROMAGNETICALLY

READABLE DATA CARRIER

FIG. 21A




FIG. 21B

